

swissbit®

Linux Installation Manual

# Swissbit iShield Archive Tool (iAT)

Version: 1.0

Copyright 2021 by Swissbit AG

This document as well as the information or material contained is copyrighted. Any use not explicitly permitted by copyright law requires prior consent of Swissbit AG. This applies to any reproduction, revision, translation, storage on microfilm as well as its import and processing in electronic systems, in particular.

The information or material contained in this document is property of Swissbit AG and any recipient of this document shall not disclose or divulge, directly or indirectly, this document or the information or material contained herein without the prior written consent of Swissbit AG.

All copyrights, trademarks, patents and other rights in connection herewith are expressly reserved to Swissbit AG and no license is created hereby.

Subject to technical changes.

All brand or product names mentioned are trademarks or registered trademarks of their respective holders.

## 1. Introduction

This document describes how to setup iShield Archive Tool (iAT) under Linux. After completing the installation, please follow the user manual coming with the software to learn about the next steps.

## 2. Linux Installation

To install the application it is necessary to run the following command:

```
$sudo dpkg -i iat-v-*.deb
```

This application has been tested on Debian 11 and Ubuntu 20.04. On other operating systems the installation can be forced by setting the environmental variable 'SKIP\_SUPPORTED\_OS\_CHECK=1' before running the installation. To preserve the environmental variable during the installation, use the following command

```
$SKIP_SUPPORTED_OS_CHECK=1 sudo -E dpkg -i iat-v-*.deb
```

## 3. How to start the Application

Execute the following command in a shell:

```
$iAT
```

## 4. Document History

Version	Updated on	Updated by	Short description
1.0	February 7th, 2022	Swissbit AG	First release